

What is claimed is:

1. A method for recovering a titanium compound,
comprising bringing a waste solution containing a titanium
alkoxide into contact with a halogenating agent to convert
5 the titanium alkoxide to a titanium halide and then distilling
the solution containing the titanium halide to recover the
titanium halide from the solution.

2. A method for recovering a titanium compound,
10 comprising distilling a waste solution containing a titanium
alkoxide and a titanium halide to recover a part of the titanium
halide from the waste solution, bringing a residue in distiller
given after the distillation into contact with a halogenating
agent to convert the titanium alkoxide to a titanium halide
15 and then distilling the solution containing the titanium halide
to recover the titanium halide from the solution.

3. The method for recovering a titanium compound as
claimed in claim 1 or 2, wherein the waste solution is a solution
20 formed when a catalyst for polymer production or a catalyst
component for polymer production is prepared.

4. A process for preparing a titanium halide,
comprising bringing a waste solution containing a titanium

094439-13004
TOTAL 664660

alkoxide into contact with a halogenating agent to convert the titanium alkoxide to a titanium halide.

5. A process for preparing a titanium halide,
5 comprising distilling a waste solution containing a titanium alkoxide and a titanium halide to recover a part of the titanium halide from the waste solution and bringing a residue in distiller given after the distillation into contact with a halogenating agent to convert the titanium alkoxide to a
10 titanium halide.

6. The process for preparing a titanium halide as claimed in claim 4 or 5, wherein the waste solution is a solution formed when a catalyst for polymer production or a catalyst
15 component for polymer production is prepared.

7. A process for preparing a catalyst for polymer production, comprising using the titanium halide obtained by the process of any one of claims 1 to 4 to prepare a catalyst
20 for polymer production.

8. The process for preparing a catalyst for polymer production as claimed in claim 7, wherein the polymer is a polyolefin.